

ANTISOCIAL PERSONALITY DISORDER

反社会型人格障碍



证道心理

CONFUSION 困惑

- Moral? 道德?
- Untreatable? 无法医治?
- How to name - rampant usage as a label by lay person
- 如何命名——外行人将其作为一种标签肆意使用



证道心理

DSM CRITERIA DSM标准

- Failure to conform to social norms/law; multiple arrests
- 不能遵守社会规范/法律；多次遭拘捕
- Deceitfulness 欺诈
- Impulsivity 冲动性
- Aggressiveness 攻击性
- Reckless disregard of safety of self/others 鲁莽且不顾他人或自身安全
- Irresponsibility, lack of remorse 不负责任，缺乏懊悔之心



EPIDEMOLOGY 流行病学

- 3.6% lifetime prevalence 3.6% 终生患病率
- Male- female 4:1 男-女 4:1
- Female SASPD s may escape diagnosis
女性反社会型人格障碍可能漏诊



证道心理

PSYCHODYNAMICS 心理动力学

- Biological – one parent ASPD ->16% likelihood
生物学 – 父母一方患有反社会型人格障碍->16%的可能性
- Twin studies 孪生子研究
- Neglect/abuse 忽视/虐待
- Certain heritable characteristics evoked harsh and inconsistent parenting
某些遗传特征会诱发严酷和前后矛盾的父母养育



证道心理

FAMILY RESPONSE TO HERITABLE TEMPERAMENT 家庭对可遗传气质的反应

- Exacerbate 恶化
- Enhance desirable features 增强可取的特征
- Protective 保护性的
- Parents back off 父母放弃
- Parenting lack of warmth leads to adolescent ASP behavior

养育方式缺乏温暖，导致青少年反社会行为



DEVELOPMENTAL SIGNS IN CHILDREN

孩子的发展信号

- Difficulty processing fear and sadness
难以处理恐惧和悲伤
- Callous/unemotional; when feel uncomfortable when hurting someone
冷酷无情/不易动感情；当感到不舒适时，当伤害别人时
- Neglect and abuse prevalent
普遍的忽视和虐待



证道心理

BIOLOGICAL EVIDENCE 生物学证据

- 5-HIAA 五羟基吲哚乙酸
- Electrodermal responses 皮电传导反应
- Amygdala reactivity 杏仁核激活度
- Lack of facial expression 缺乏面部表情
- Reduction in volumes of temporal cortex, 颞叶皮层体积减少
- Arrest of early axial pruning? 早期轴突修剪中止?



TWO DIFFERENT PATHS 两种不同的路径

- Detachment 脱离
- Sadistic attachment 虐待式依恋



证道心理

HIGHER FUNCTIONING INDIVIDUALS

较高功能运作的个体

- Superego lacunae 超我缺损
- Amorality 无道德



证道心理

CONTINUUM 连续谱

- Part of neurosis 神经症的部分
- Neurotic PD with antisocial features 带有反社会特质的神经症型人格障碍
- antisocial behavior in other PD s 其他人格障碍中的反社会行为
- Narcissistic PD with AS behavior 带有反社会行为的自恋型人格障碍
- Malignant narcissism 恶性自恋
- ASPD – Psychopathy 反社会型人格障碍 - 精神病/精神变态



SUCCESSFUL PSYCHOPATH 成功的精神变态

- Greater autonomic reactivity

(相对一般的反社会型人格障碍) 有较高的自主神经系统反应

- Better executive function 更好的执行功能

- No reduction in frontal gray matter 额叶灰质没有减少



TREATMENT BOUNDARIES AS ASPD UNDERSTANDS

治疗界限和对反社会型人格障碍的理解

- Very important lesson we learn as therapists;
作为治疗师我们受到了很重要的教训
- ASPD persons need to meet a limit that has concrete consequences like imprisonment
反社会型人格病人需要有具体后果（如监禁）的限制
- Unlike the limits of ordinary therapy – shame, guilt etc..
不像寻常治疗的限制 - 羞耻、内疚等等



HOMOGENOUS MILIEU 同质环境

- Group confrontation 小组面质
- Clear and rigid rules 清晰和严格的规则
- Rule breaking is swiftly responded to 对打破规则即时回应



证道心理

证道心理精彩课程

扫描二维码了解详情



精神分析核心概念 与临床技术18讲

Vamik Volkan

五次获诺贝尔和平奖提名

美国精神分析学院前主席
弗洛伊德奖和西格尼奖双料获得者
连续15年荣膺美国最佳医生



系统学懂精神分析！ 精神分析各学派理论 与临床应用场景18讲

Bonnie Litowitz

美国最受欢迎精神分析教科书主编
美国精神分析学会官方期刊前总编
埃里克森儿童发展研究院前院长



关系创伤的动力学治疗 全过程及临床操作步骤

Janet Bachant

创伤治疗顶尖专家

纽约精神分析中心督导师
纽约灾难咨询联合会主席